INSTALLATION INSTRUCTIONS

BRACKETS OF UNIVERSAL NUDGE BAR

FOR MITSUBISHI TRITON 2019


Before Installation

- Please read the instruction completely for easy installation, which will also help you to avoid scratches or other potential damages to your appealing car.
- The figures here are for reference only and may have differences with the actual product you received, however they share the same assembly way.


Care and Cleaning

- Mild soap may be used also to clean the Product.
- Please periodically check and retighten all the hardware and clean the investment for a refresh look.

Parts list



INSTALLATION INSTRUCTIONS					
7	2	T-Bolt M10	8	2	Hex bolt M8*25
9	4	Large Washer D6(Sus304)	10	4	Hex bolt M6-20
1	4	Hex nut M6 (Sus304)	12	2	O Large Washer D6
(13)	1	Hexed Wrench S=4	14	4	Hex bolt M10-35
15	8	Spring Washer D10	16	8	CO Large Washer D10
17	2	Hex bolt M10-1.25-30	18	2	Hex nut M10
19	2	Button head allen bolts M6_20	20		




Step 1: Verify that all parts are present according to the manual.

Step 2: Install the lower brackets to the vehicle loosely. The left and right brackets are mirror images.

Step 3: Install the upper support brackets to the lower support brackets through the front grille of the car. Leave bolts loose

Step 4: Attach nudge bar to the brackets and fully tighten all hardware.



NOTE

Any damages and losses caused by improper installation and application, goes beyond our quality warranty.